RELEASE 4.3


News in this release



Start page design options

Strengthen your brand by ensuring start page of your catalogue supports your company brand.

Use images, hoovering effects and text formatting to create an appealing welcome.






Canvas search on start page and search help

Make it more easy for your users to find the right information by guiding the user!

- Canvas search enables a large search area on the start page.
- Limit search to selected types of information.
- Add search help area which user may use to get search assistance.






Message function

Ensure your end users get important messages quickly.

- Add messages to your sites
- Code them using different colours
- Allow to click them away or make them stick






Ticketing module

Enable users to create and follow up tickets for:

- Warranty requests
- Feedback
- Support
- Customized issues

JIRA is initially supported as backend which provides:

- Easy workflows
- In- and outgoing emails
- CCustom issue types






Replacements and NLA handling on the web

Ensure parts can be replaced and old parts sold out!

- Handle replacement chains in Manager.
- Present replacements in web when original parts are no longer available or out of stock
- Ensure client gets information on original part
- Give warning to user if part is no longer available directly or when out of stock
- Integrate replacement and NLA information with ERP





Deliveries and track and trace

Show deliveries shipped for each order and track and trace to ensure your users get the best possible service!

- Present deliveries on an order
- Show the number of delivered items
- Display track and trace links and packing slips
- Integrate with ERP to get this information.

Order inform	nation								
Order number Order date Order type Reference User name	PO-68 Shi 31/05/2018 Shi Stor 400		Shippir Stockh 400607	Shipping address Shipping-Abra-823 Stockholm 400607 Sweden		Billing address Billing-Abra-823 Mumbai 400607 India			
Delivery inf	ormation								
Delivery date	I	Delivery address n	ame	e Delivery method		Packing slip id		Tracking url	
31/05/2018	A	ABC		XYZ		PS-SE110000	01	www.mytracker	.com
Number	Name		Quant	tity					
105310193	XYBN	I	1.0						
Order items									
Line number	Number	Replaced part	Name	Reference	Quantity	Delivered	Price	Discount (%)	Line total
1	SIG 1		Part-1		4.00	0	68,00 kr		416,00 kr
2	SIG 2		Part-2		4.00	0	68,00 kr		416,00 kr
3	SIG 3		Part-3		4.00	0	68,00 kr		416,00 kr
() 4	SIG 4		Part-4		4.00	0	68,00 kr		416,00 kr
						Subtotal Total tax Total pric	e		823,00 kr
w.signifikant.se									



Multiple addresses

Allow your customers to predefine a set of addresses to select from to make their process of ordering smooth.

- Set up multiple shipping and billing addresses on users and organisations and define a default address
- Allow users select address
- Allow users to define a temporary address
- Control by using permissions which users may create temporary addresses
- Allow users to select their choice of address


Shipping address				
	Create temporary address			
Remember this choice				
Addressee				
Street address				
Street address 2				
Street address 3				
Zip code				
City				
State				
Country	Select country			



Autosave of order cart

Make it easier for end users to keep their order cart to ensure no orders are lost!

- Order cart is now saved automatically for signed in users.
- Order is saved automatically.
- If user signes out, or gets signed out due to inactivity, the order cart will still be available when user signs in again.





Google analytics

Analyze your customers' behaviour by using Google Analytics.

- Allow Google Analytics to analyse your aftermarket catalogue
- Turn on crawling of your pages
- Use Google's tools to improve the knowledge on how your catalogue us used



Google Analytics



Integrations support

Typically order process requires extensive integrations with an ERP or a web shop. To ensure a smooth custom built integreation to support just your process, version 4.3 now includes an integration framework for the order process based on REST or WebService providers.

- Fetch price and availability
- Fetch replacement information and NLA information
- Add parts to order cart (if external)
- Validate order cart with ERP/web shop
- Place order
- Get order history
- Get order history details and delivery information



Page 11

Export parts and BOMS using XML

Improve your Master Data Management for parts, BOMs and products!

- Allow to export parts, BOMs, kits etc in an XML format
- Include translations of parts, NLA information, replacement information in your exports

```
<Parts>
   <Part>
      <persistent-identity>123456789</persistent-identity>
     <identity>123456789</identity>
      <number>123456789</number>
      <sellable>False</sellable>
      <name>
         <Text>
            <translation language="da-DK">glider brun</translation>
            <translation language="de-DE">Schieber braun</translation>
            <translation language="en-GB">slider brown</translation>
            <translation language="es-ES">cursor deslizante marron</translation>
            <translation language="fi-FI">liuku ruskea</translation>
            <translation language="fr-FR">curseur marron</translation>
            <translation language="it-IT">cursore marrone</translation>
            <translation language="nb-NO">glidesykke brun</translation>
            <translation language="nl-NL">glijder bruin</translation>
            <translation language="pt-PT">cursor deslizante castanho</translation>
            <translation language="sv-SE">slid brun</translation>
         </Text>
      </name>
     <description/>
     <Permissions/>
      <Specifications>
         <specification type-persistent-id="NLAComment"</pre>
                        value="Obsolete part. "/>
         <specification type-persistent-id="Length" value="38mm"/>
     </Specifications>
      <quantity-unit>
         <Text>
           <translation language="en-GB">pcs</translation>
         </Text>
     </quantity-unit>
     <Images/>
      <PartReplacements/>
   </Part>
```



Call centre functionality

Serve your end customers better by letting your Call Centre place orders on behalf of the end user directly in the catalogue.

- Allow for Call Centre to search customers and end users
- Make it possible for Call Centre to add parts to order and place order on behalf of the customer
- Allow Call Centre to see the order history of customers
- Ensure local Call Centre only can access customers in the region they serve

	τις Q	CALL CENTRE USER : NONE			
TART PAGE					
Tes			:	x Reset selection	
Customer: Test, 100075					
Customer					
Information		Shipping address			
PersistentId	123456789	Address	Select shipping address	•	
Customer number	100075				
Customer name	Test	Addressee			
Organization number	Test	Street address			
Status		Street address 2			
Note		Street address 3			
Web address		Zin code			
E-mail address		Zip code			



Local administration

	USERS	CUSTOMERS						
Filter								Nev
Jser name		First name	Last name	E-mail	Customer	Customer number	Status	Deactivated
malo		Mattias	Löfstrand	mattias.lofstrand@signifikant.se	HYPRO AB	SE41-45656	Active	False
nalol		Mattias	Löfstrand	m_lofstrand@hotmail.com	UAT Test	GB11-1002068		False
nalo2		Mattias	Löfstrand	test@test.se	ENTA HOTEL AS	SE11-401582	Active	False
nalo3		Mattias	Löfsstran	test2@test.se				False
mattias.lofstrand@lofgroup.se		Murray	Gibson	mattias.lofstrand@lofgroup.se	HYPRO AB	SE41-45656	Active	False

Improve your efficiency by pushing out administration of users and customers to local entities.

- Allow local admin to set up users and customers
- Limit local admin to work only within a country or region



Import

Use standardized xml import to import even more information. SSX format now also includes import of:

- Replacements
- Hotspots
- Translations based on XLIFF and XML

(Previous support include parts, illustrations, part assemblies, catalogues, documents, content sets)

Export>		
<hotspots< th=""><th><pre>IllustrationPersistentIdentity="" filename="N9200.0075.png"></pre></th><th></th></hotspots<>	<pre>IllustrationPersistentIdentity="" filename="N9200.0075.png"></pre>	
<hotspot< td=""><td>x="0.62987519500780031" y="0.63005714285714276" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.62987519500780031" y="0.63005714285714276" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>t x="0.71502860114404576" y="0.6728" width="0.077223088923556948" height="0.067</td><td>78857142857</td></hotspot<>	t x="0.71502860114404576" y="0.6728" width="0.077223088923556948" height="0.067	78857142857
<hotspot< td=""><td>x="0.36674466978679149" y="0.2054857142857143" width="0.077223088923556948" h</td><td>height="0.0</td></hotspot<>	x="0.36674466978679149" y="0.2054857142857143" width="0.077223088923556948" h	height="0.0
<hotspot< td=""><td>t x="0.68876755070202811" y="0.44617142857142861" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	t x="0.68876755070202811" y="0.44617142857142861" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.875065002600104" y="0.28605714285714284" width="0.077223088923556948" he</td><td>eight="0.06</td></hotspot<>	x="0.875065002600104" y="0.28605714285714284" width="0.077223088923556948" he	eight="0.06
<hotspot< td=""><td>x="0.70176807072282887" y="0.83508571428571432" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.70176807072282887" y="0.83508571428571432" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.71008840353614144" y="0.64034285714285721" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.71008840353614144" y="0.64034285714285721" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.77613104524180965" y="0.78857142857142859" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.77613104524180965" y="0.78857142857142859" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.795761830473219" y="0.63245714285714294" width="0.077223088923556948" he</td><td>eight="0.06</td></hotspot<>	x="0.795761830473219" y="0.63245714285714294" width="0.077223088923556948" he	eight="0.06
<hotspot< td=""><td>x="0.81396255850234012" y="0.844" width="0.077223088923556948" height="0.0678</td><td>88571428571</td></hotspot<>	x="0.81396255850234012" y="0.844" width="0.077223088923556948" height="0.0678	88571428571
<hotspot< td=""><td>x="0.673166926677067" y="0.58457142857142863" width="0.077223088923556948" he</td><td>eight="0.06</td></hotspot<>	x="0.673166926677067" y="0.58457142857142863" width="0.077223088923556948" he	eight="0.06
<hotspot< td=""><td>x="0.421866874674987" y="0.6352" width="0.077223088923556948" height="0.06788</td><td>85714285714</td></hotspot<>	x="0.421866874674987" y="0.6352" width="0.077223088923556948" height="0.06788	85714285714
<hotspot< td=""><td>x="0.672646905876235" y="0.84491428571428573" width="0.077223088923556948" he</td><td>eight="0.06</td></hotspot<>	x="0.672646905876235" y="0.84491428571428573" width="0.077223088923556948" he	eight="0.06
<hotspot< td=""><td>x="0.55668226729069159" y="0.60388571428571425" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.55668226729069159" y="0.60388571428571425" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.72594903796151855" y="0.57851428571428576" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.72594903796151855" y="0.57851428571428576" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.73569942797711918" y="0.56342857142857139" width="0.077223088923556948"</td><td>height="0.</td></hotspot<>	x="0.73569942797711918" y="0.56342857142857139" width="0.077223088923556948"	height="0.
<hotspot< td=""><td>x="0.76287051482059276" y="0.832342857142857" width="0.077223088923556948" he</td><td>eight="0.06</td></hotspot<>	x="0.76287051482059276" y="0.832342857142857" width="0.077223088923556948" he	eight="0.06



Templates for permissions

Make it easier to use standardized permissions for different types of users! Web Viewer now support using templates for permissions to make administration easier.

Permission templates	Viewer 🔻				
Organisation limitation	Select Template Default Default Temporary Shipping Address				
Permissions	Default Gross Price				
LocalAdministrator	Viewer region				
MyAccount	Viewer Gross Price Custom				
CallCenter	Permission to use call center function				
PlaceOrder	Permission to place orders				
Bulletin	Permission to see bulletins				
PriceDisplayModes	Permission to change between gross/net price				
SafetyParts	Permission to see safety parts				
Price	Permission to see price				
 Availability 	Permission to see availability				
TemporaryShipping	gAddress Permission to add temporary shipping address				



View documents in full screen

Use the full screen to view documents to make browsing information more easy for your users.

- All documents and selected other information can be viewed in full screen.
- A default setting may be applied that makes documents show in full screen directly.






Order import improvement

Make it even easier for end users to import order lists.

- Import order is now available directly on the order summary
- Order import can be done by selecting a file or by simple drag and drop.
- Templates for how order list shall look like can be added.
- Custom transformations from xml can be used.





More things...

- Organisations import in web viewer
- New process when registering as new user
- Custom colours on hotspots controlled from Manager
- Custom icons can be used to change any icon in the web viewer
- New permissions for edit addresses, price, availability and others
- Enter parts not in database in order view
- Improved error handling at publish
- Select language in order attachment sent to you

